



October 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas,
Gas Accumulation, and Leachate Monitoring Results

	Field							Inorganics					
	Methane	Methane	Depth to groundwater (measured)	DO (Field)	Electrical Conductivity (Non Compensated)	pH (Field)	Temp (Field)	Ammonia as N	Alkalinity (total) as CaCO3	BOD	Chloride	Nitrate (as N)	Nitrite (as N)
	%v/v	ppm	m	mg/L	µS/cm	-	oC	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
EQL								0.01	1	2	1	0.01	0.01

Site ID	EPL No.	Location Code	Sampled Date													
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	4.13	104.2	4.94	14	0.01	-	9	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	7.23	111.1	5.95	14	<0.01	-	5	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	4.21	313.1	6.63	18.1	1.67	-	9	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	0.2	279.4	6.88	16.1	1.35	-	30	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	6.23	134.7	4.42	24.1	0.04	-	8	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	8.52	278.1	6.37	19.5	0.04	-	24	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	-	-	-	0.85	4,377	7.67	17.4	94.5	1,150	-	606	<0.10	0.27
Woy Woy	1/ 17	W_WW1	10 Oct 2024	0.0	-	1.71	1.66	251.7	5.53	18.6	<0.01	32	-	59	0.01	<0.01
Woy Woy	2/ 18	W_WW2	10 Oct 2024	0.0	-	1.96	0.88	281.1	4.67	19.4	<0.01	9	-	75	<0.01	<0.01
Woy Woy	3/ 19	W_WW3	10 Oct 2024	0.0	-	2.01	3.86	471.3	5.99	17.2	0.04	75	-	125	<0.01	<0.01
Woy Woy	5/ 21	W_WW6	10 Oct 2024	0.0	-	6.05	3.41	405.6	3.95	18.4	0.05	<1	-	122	<0.01	<0.01
Woy Woy	6/ 22	W_WW7	10 Oct 2024	0.0	-	Blocked	0.88	300.8	4.88	18.7	0.03	12	-	63	1.17	<0.01
Woy Woy	24	Traverse 1	23 Oct 2024	-	88,000*	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	250*	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	<5*	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	11,000*	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	125*	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	<5*	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	<5*	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	<5*	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:

[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



Ocotber 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas,
Gas Accumulation, and Leachate Monitoring Results

	Inorganics				Metals								
	Fluoride	Sodium (filtered)	Phosphorus total (P2O5)	TOC	Aluminium (filtered)	Arsenic (filtered)	Barium (filtered)	Cadmium (filtered)	Calcium (filtered)	Chromium (hexavalent) (filtered)	Cobalt (filtered)	Chromium (III+VI)	Copper (filtered)
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
EQL	0.1	1	0.01	1	0.01	0.001	0.001	0.0001	1	0.01	0.001	0.001	0.001

Site ID	EPL No.	Location Code	Sampled Date													
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	4	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	4	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	3	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	13	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	5	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	6	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	0.1	444	1.33	104	0.03	0.008	0.122	<0.0001	102	<0.01	0.006	0.042	0.002
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.1	36	-	<1	0.03	<0.001	0.009	<0.0001	14	<0.01	<0.001	<0.001	0.017
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.1	46	-	<1	0.21	<0.001	0.033	<0.0001	<1	<0.01	0.006	<0.001	<0.001
Woy Woy	3/ 19	W_WW3	10 Oct 2024	0.1	86	-	2	<0.01	<0.001	0.005	<0.0001	9	<0.01	<0.001	<0.001	<0.001
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.1	64	-	13	0.63	<0.001	0.012	<0.0001	<1	<0.01	<0.001	0.011	<0.001
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.1	54	-	<1	0.08	<0.001	0.025	<0.0001	<1	<0.01	0.008	<0.001	<0.001
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:

[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



October 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas,
Gas Accumulation, and Leachate Monitoring Results

	Metals						Physical		NA				BTEX	
	Lead (filtered)	Magnesium (filtered)	Manganese (filtered)	Mercury (filtered)	Potassium (filtered)	Zinc (filtered)	Total Dissolved Solids @180°C	TSS	Bensulide	Demeton-O & Demeton-S	Sulfate as SO4 - Turbidimetric (filtered)	Acephate	Naphthalene (VOC)	Benzene
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L	mg/L	µg/L
EQL	0.001	1	0.001	0.0001	1	0.005	10	5	0.1	0.02	1	0.5	0.005	1

Site ID	EPL No.	Location Code	Sampled Date	Lead (filtered)	Magnesium (filtered)	Manganese (filtered)	Mercury (filtered)	Potassium (filtered)	Zinc (filtered)	Total Dissolved Solids @180°C	TSS	Bensulide	Demeton-O & Demeton-S	Sulfate as SO4 - Turbidimetric (filtered)	Acephate	Naphthalene (VOC)	Benzene
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	<5	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	8	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	<5	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	84	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	<5	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	124	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.001	55	0.272	<0.0001	107	0.010	2,270	2,680	<0.1	<0.02	40	<0.5	<0.005	<1
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.001	6	0.006	<0.0001	2	0.008	172	-	<0.1	<0.02	22	<0.5	<0.005	<1
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.001	7	0.46	<0.0001	<1	0.027	172	-	<0.1	<0.02	7	<0.5	<0.005	<1
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.001	14	0.006	<0.0001	2	0.008	334	-	<0.1	<0.02	36	<0.5	<0.005	<1
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.001	9	0.039	<0.0001	<1	0.017	248	-	<0.1	<0.02	26	<0.5	<0.005	<1
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.001	5	0.528	<0.0001	1	0.021	188	-	<0.1	<0.02	35	<0.5	<0.005	<1
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:
[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



Ocotber 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas, Gas Accumulation, and Leachate Monitoring Results

	BTEX						Phenols	Total Recoverable	Fungicide	Halogenat	Organochlorine Pesticides			
	Ethylbenzene	Toluene	Total BTEX	Xylene (m & p)	Xylene (o)	Xylene Total	Phenolics Total	C6-C10	C6-C10 (F1 minus BTEX)	Fosetyl-al	Hexachlorobenzene	4,4-DDE	a-BHC	Aldrin
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	2	2	1	2	2	2	50	20	20	10	0.01	0.01	0.01	0.01

Site ID	EPL No.	Location Code	Sampled Date														
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<2	<2	<1	<2	<2	<2	<50	<20	<20	<10	<0.010	<0.010	<0.010	<0.010
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<2	<2	<1	<2	<2	<2	<50	<20	<20	<10	<0.010	<0.010	<0.010	<0.010
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<2	<2	<1	<2	<2	<2	<50	<20	<20	<10	<0.010	<0.010	<0.010	<0.010
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<2	<2	<1	<2	<2	<2	<50	<20	<20	<10	<0.010	<0.010	<0.010	<0.010
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<2	<2	<1	<2	<2	<2	<50	<20	<20	<10	<0.010	<0.010	<0.010	<0.010
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<2	<2	<1	<2	<2	<2	<50	<20	<20	<10	<0.010	<0.010	<0.010	<0.010
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:

[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas, Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements - Quarterly/ Yearly Groundwater, Surface Water, and Yearly Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



Ocotber 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas,
Gas Accumulation, and Leachate Monitoring Results

	Organochlorine Pesticides													
	b-BHC	chlordan	Chlordane (cis)	Chlordane (trans)	d-BHC	DDD	DDT	DDT+DDE+DDD	Dieldrin	Endosulfan	Endrin aldehyde	Endrin ketone	Endosulfan I	Endosulfan II
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01

Site ID	EPL No.	Location Code	Sampled Date														
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:
[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



October 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas, Gas Accumulation, and Leachate Monitoring Results

	Organochlorine Pesticides							Polynuclear Aromatic Hydrocarbons						
	Endosulfan sulphate	Endrin	g-BHC (Lindane)	Heptachlor	Heptachlor epoxide	Methoxychlor	Oxychlorthane	Acenaphthene	Acenaphthylene	Anthracene	Benz(a)anthracene	Benzo(a) pyrene	Benzo(g,h,i)perylene	Benzo(b+j)fluoranthene
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L
EQL	0.01	0.01	0.01	0.005	0.01	0.01	0.00001	1	1	1	1	0.5	1	0.001

Site ID	EPL No.	Location Code	Sampled Date														
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.010	<0.010	<0.010	<0.005	<0.010	<0.010	<0.000010	-	-	-	-	-	-	-
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.010	<0.010	<0.010	<0.005	<0.010	<0.010	<0.000010	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<0.0010
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.010	<0.010	<0.010	<0.005	<0.010	<0.010	<0.000010	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<0.0010
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.010	<0.010	<0.010	<0.005	<0.010	<0.010	<0.000010	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<0.0010
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.010	<0.010	<0.010	<0.005	<0.010	<0.010	<0.000010	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<0.0010
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.010	<0.010	<0.010	<0.005	<0.010	<0.010	<0.000010	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<0.0010
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:
[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



October 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas, Gas Accumulation, and Leachate Monitoring Results

	Polynuclear Aromatic Hydrocarbons										Organophosphorous Pesticides			
	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Azinophos methyl	Bolstar (Sulprofos)	Bromophos-ethyl	Carbophenothion
	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	1	1	1	1	1	1	1	1	1	0.5	0.02	0.05	0.1	0.02

Site ID	EPL No.	Location Code	Sampled Date	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-c,d)pyrene	Naphthalene	Phenanthrene	Pyrene	PAHs (Sum of total)	Azinophos methyl	Bolstar (Sulprofos)	Bromophos-ethyl	Carbophenothion
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	<0.02	<0.05	<0.10	<0.02
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.02	<0.05	<0.10	<0.02
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.02	<0.05	<0.10	<0.02
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.02	<0.05	<0.10	<0.02
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.02	<0.05	<0.10	<0.02
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.02	<0.05	<0.10	<0.02
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:

[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas, Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements - Quarterly/ Yearly Groundwater, Surface Water, and Yearly Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



October 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas,
Gas Accumulation, and Leachate Monitoring Results

	Organophosphorous Pesticides													
	Azinphos Ethyl	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos-methyl	Coumaphos	Demeton-O	Demeton-S	Diazinon	Dichlorvos	Dimethoate	Disulfoton	Ethoprop	Ethion	Fenitrothion
	mg/L	µg/L	µg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.00002	0.02	0.02	0.0002	0.01	0.02	0.02	0.01	0.2	0.02	0.05	0.01	0.02	2

Site ID	EPL No.	Location Code	Sampled Date														
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.00002	<0.02	<0.02	<0.0002	<0.01	<0.02	<0.02	<0.01	<0.20	<0.02	<0.05	<0.01	<0.02	<2
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.00002	<0.02	<0.02	<0.0002	<0.01	<0.02	<0.02	<0.01	<0.20	<0.02	<0.05	<0.01	<0.02	<2
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.00002	<0.02	<0.02	<0.0002	<0.01	<0.02	<0.02	<0.01	<0.20	<0.02	<0.05	<0.01	<0.02	<2
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.00002	<0.02	<0.02	<0.0002	<0.01	<0.02	<0.02	<0.01	<0.20	<0.02	<0.05	<0.01	<0.02	<2
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.00002	<0.02	<0.02	<0.0002	<0.01	<0.02	<0.02	<0.01	<0.20	<0.02	<0.05	<0.01	<0.02	<2
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.00002	<0.02	<0.02	<0.0002	<0.01	<0.02	<0.02	<0.01	<0.20	<0.02	<0.05	<0.01	<0.02	<2
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:

[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



Ocotber 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas, Gas Accumulation, and Leachate Monitoring Results

Organophosphorous Pesticides														
Fensulfothion	Fenthion	EPN	Malathion	Methidathion	Methyl parathion	Mevinphos (Phosdrin)	Monocrotophos	Omethoate	Phorate	Pyrazophos	Ronnel	Prothiofos	Terbufos	
µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.05	0.05	0.02	0.1	0.5	0.02	0.02	0.01	0.1	0.1	10	0.1	0.01

Site ID	EPL No.	Location Code	Sampled Date														
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.01	<0.05	<0.05	<0.02	<0.1	<0.5	<0.02	<0.02	<0.01	<0.1	<0.1	<10	<0.1	<0.01
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.01	<0.05	<0.05	<0.02	<0.1	<0.5	<0.02	<0.02	<0.01	<0.1	<0.1	<10	<0.1	<0.01
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.01	<0.05	<0.05	<0.02	<0.1	<0.5	<0.02	<0.02	<0.01	<0.1	<0.1	<10	<0.1	<0.01
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.01	<0.05	<0.05	<0.02	<0.1	<0.5	<0.02	<0.02	<0.01	<0.1	<0.1	<10	<0.1	<0.01
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.01	<0.05	<0.05	<0.02	<0.1	<0.5	<0.02	<0.02	<0.01	<0.1	<0.1	<10	<0.1	<0.01
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.01	<0.05	<0.05	<0.02	<0.1	<0.5	<0.02	<0.02	<0.01	<0.1	<0.1	<10	<0.1	<0.01
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:

[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas, Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements - Quarterly/ Yearly Groundwater, Surface Water, and Yearly Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



October 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas,
Gas Accumulation, and Leachate Monitoring Results

	Organophosphorous Pesticides			TPH										Other
	Thiometon	Trichloronate	Tetrachlorvinphos	C6-C9	C10-C14	C10-C16	C15-C28	C16-C34	C29-C36	C34-C40	+C10-C36 (Sum of total)	C10-C40 (Sum of total)	C10-C16 (F2 minus Naphthalene)	Naphthalophos
	µg/L	µg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L
EQL	0.5	0.5	0.00001	0.02	50	100	100	100	50	100	50	100	100	0.001

Site ID	EPL No.	Location Code	Sampled Date														
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.5	<0.5	<0.00001	<0.02	220	310	890	830	<50	<100	1,110	1,140	310	<0.0010
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.5	<0.5	<0.00001	<0.02	<50	<100	<100	<100	<50	<100	<50	<100	<100	<0.0010
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.5	<0.5	<0.00001	<0.02	<50	<100	<100	<100	<50	<100	<50	<100	<100	<0.0010
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.5	<0.5	<0.00001	<0.02	<50	<100	<100	<100	<50	<100	<50	<100	<100	<0.0010
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.5	<0.5	<0.00001	<0.02	<50	<100	<100	<100	<50	<100	<50	<100	<100	<0.0010
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.5	<0.5	<0.00001	<0.02	<50	<100	<100	<100	<50	<100	<50	<100	<100	<0.0010
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:

[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



October 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas, Gas Accumulation, and Leachate Monitoring Results

	Other	PCBs								Pesticides				
	Triazophos	Arochlor 1016	Arochlor 1221	Arochlor 1232	Arochlor 1242	Arochlor 1248	Arochlor 1254	Arochlor 1260	PCBs (Sum of total)	Demeton-S-methyl	Fenamiphos	Formothion	Parathion	Pirimiphos-methyl
	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L
EQL	0.000005	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.01	20	0.2	0.00001

Site ID	EPL No.	Location Code	Sampled Date														
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.000005	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.02	<0.01	<20	<0.2	<0.00001
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.000005	-	-	-	-	-	-	-	-	<0.02	<0.01	<20	<0.2	<0.00001
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.000005	-	-	-	-	-	-	-	-	<0.02	<0.01	<20	<0.2	<0.00001
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.000005	-	-	-	-	-	-	-	-	<0.02	<0.01	<20	<0.2	<0.00001
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.000005	-	-	-	-	-	-	-	-	<0.02	<0.01	<20	<0.2	<0.00001
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.000005	-	-	-	-	-	-	-	-	<0.02	<0.01	<20	<0.2	<0.00001
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:
[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas, Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements - Quarterly/ Yearly Groundwater, Surface Water, and Yearly Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024



Ocotber 2024 - Groundwater, Surface Water, Surface Gas, Sub-Surface Gas,
Gas Accumulation, and Leachate Monitoring Results

	Pesticides				
	Profenofos	Pirimphos-ethyl	Sulfotepp	Temephos	Trichlorfon
	µg/L	µg/L	µg/L	µg/L	µg/L
EQL	0.01	0.01	0.005	0.02	0.02

Site ID	EPL No.	Location Code	Sampled Date					
Woy Woy	8	W_S01	10 Oct 2024	-	-	-	-	-
Woy Woy	9	W_S02	10 Oct 2024	-	-	-	-	-
Woy Woy	10	W_S03	10 Oct 2024	-	-	-	-	-
Woy Woy	12	W_S05	10 Oct 2024	-	-	-	-	-
Woy Woy	13	W_S07	10 Oct 2024	-	-	-	-	-
Woy Woy	14	W_S08	10 Oct 2024	-	-	-	-	-
Woy Woy	15	W_L03	10 Oct 2024	<0.01	<0.01	<0.005	<0.02	<0.02
Woy Woy	1/ 17	W_WW1	10 Oct 2024	<0.01	<0.01	<0.005	<0.02	<0.02
Woy Woy	2/ 18	W_WW2	10 Oct 2024	<0.01	<0.01	<0.005	<0.02	<0.02
Woy Woy	3/ 19	W_WW3	10 Oct 2024	<0.01	<0.01	<0.005	<0.02	<0.02
Woy Woy	5/ 21	W_WW6	10 Oct 2024	<0.01	<0.01	<0.005	<0.02	<0.02
Woy Woy	6/ 22	W_WW7	10 Oct 2024	<0.01	<0.01	<0.005	<0.02	<0.02
Woy Woy	24	Traverse 1	23 Oct 2024	-	-	-	-	-
Woy Woy	25	Traverse 2	23 Oct 2024	-	-	-	-	-
Woy Woy	26	Traverse 3	23 Oct 2024	-	-	-	-	-
Woy Woy	27	Traverse 4	23 Oct 2024	-	-	-	-	-
Woy Woy	28	Traverse 5	23 Oct 2024	-	-	-	-	-
Woy Woy	31	Lunch Room	23 Oct 2024	-	-	-	-	-
Woy Woy	32	Maintenance Shed	23 Oct 2024	-	-	-	-	-
Woy Woy	33	Weighbridge Office	23 Oct 2024	-	-	-	-	-

Notes: * denotes maximum concentration reported at each location

A copy of the Environment Protection Licence (EPL) can be viewed at:
[6053.pdf \(nsw.gov.au\)](#)

Condition M2.2 - Air Monitoring Requirements - Monthly Surface Gas,
Quarterly Sub-Surface Gas, and Quarterly Gas Accumulation.

Condition M2.3 - Water and/ or Land Monitoring Requirements -
Quarterly/ Yearly Groundwater, Surface Water, and Yearly
Leachate.

Date pollution monitoring data was obtained by licensee: 06/11/2024