

18 August 2023



[address_1] [ADDRESS_2]

Dear [Owner/Occupant]

RE: SOMERSBY & KARIONG CATCHMENTS OVERLAND FLOOD STUDY

Central Coast Council, with financial and technical support from the NSW Department of Planning and Environment, have recently commenced the Somersby & Kariong Catchments Overland Flood Study. The study area consists of the Kariong residential area, the Somersby industrial area, and the rural residential area immediately to its north. An image of the study area is included overleaf.

The objective of this study is to define the nature of flooding in the catchments of Kariong and Somersby to provide an improved understanding of flood behaviour and associated flood risk. An improved understanding of flood behaviour then enables effective management of flood risk in the study area.

Council has engaged Kellogg Brown & Root Pty Ltd (KBR), an independent consultant, to prepare the study.

As your property is located within the study area, we would appreciate your participation in this study by completing the short questionnaire that is enclosed and returning it by close of business 22 September 2023.

You can do this by:

- visiting the following link: https://forms.office.com/r/ZpPb3ULDcL, or
- filling out the enclosed survey and emailing it to Joshua. Eggleton@kbr.com

The community's responses to the questionnaire will help to identify flooding issues and develop a computer model that will be used to define flood behaviour over a range of flood magnitudes.

Should you wish to obtain further information on the study, please visit the project website at www.yourvoiceourcoast.com//somersbykariongfloodstudy. Otherwise, if you have any questions regarding this study, please contact:

- Daniel O'Brien from Central Coast Council on 0429 292 274, or
- Joshua Eggleton from KBR on 02 8284 2082.

Yours faithfully


Peter Sheath Section Manager

Bushfire and Flood Risk Management















Somersby & Kariong Catchments Overland Flood Study COMMUNITY QUESTIONNAIRE

Community involvement is pivotal to successful floodplain management. This questionnaire is a voluntary means for the community to help inform the Somersby and Kariong Catchments Overland Flood Study.

If you are willing to provide a response, please complete and return the questionnaire by 22 September 2023. A digital copy of the questionnaire is available and can be completed online by visiting the following link: https://forms.office.com/r/ZpPb3ULDcL



PROPERTY DETAILS							
Please provide your street and suburb details (this will help us understand where flooding problems have been experienced).							
House no.:or Lot no.:Street:							
Suburb:			Postcode:				
Providing full contact details is optional, but useful so we can contact you for more information if required. If you choose to provide full contact details, this information will remain confidential at all times and will not be published.							
Name / Business:							
Phone number:							
Email:							
Please indicate if and how you would like us to contact you for more information or to provide you with study updates							
□ Yes – telephone/ email/ mail (circle your preferred method of contact) □ No							
QUESTION 1		QUESTION 2					
What type of development is on the property?		What is the occupier status of this property?					
	Residential		Owner occupied				
	Commercial		Rental				
	Industrial		Business				
	Rural		Vacant				
	Other (please specify):		Other (please specify):				
QUESTION 3		QUES	STION 4				
How long have you lived, worked or owned property in this area? At the address specified above		How long have you lived, worked or owned property in this area? In the general area					
	Less than 1 year		Less than 1 year				
	1 to 5 years		1 to 5 years				
	5 to 10 years		5 to 10 years				





	10 to 20 years				10 to 20 years	3		
	Greater than 20 years				Greater than 2	20 years		
QUESTION 5								
Have you ever been affected by flooding?				Yes	□ No (please	go to Q10)		
QUE	QUESTION 6			QUESTION 7				
Which of the following best describes the source of flooding? (you can select more than one)			Was your property damaged by floodwaters?					
	Floodwater rising from a local creek/waterway			☐ Yes - please provide details below ☐ No				
	Waters originating from local roads							
	Overflow from local bas	sins						
	Water pooling in a low	point						
	Overflow from blocked	drains		QUE	ESTION 8			
	Other (Please Specify):				Do you have any photos or videos of the flooding you have experienced?		of the flooding	
					Yes I	□ No		
				☐ Please tick this box if you would be willing to provide a copy to assist the study.				
QUESTION 9								
Can y	ou provide additional i	nformation on t	hese past	flood	s? Please attac	h additional paç	ges if needed.	
		November 2011	June 200)7	February 2021	March 2022	Other	
locate gutte be as would	e was the flooding ed? i.e. House, Road er, back yard (you can es specific as you d like i.e. name the where flooding							
What depth of flooding was experienced (if any)? i.e. None, 10cm, 50cm								
How certain in the flood depth are you? i.e. "Give or take 20cm", "Thereabouts", "Certain"								
photo flood	ere a flood mark or ography from the ing? e.g. Photo of I mark							






QUESTION 10								
Have you got any other comments, information or suggestions that may assist with the study? Please attach additional pages if needed.								
, 	_							
	_							
	_							
	_							
	_							
	_							
	_							
	_							
	_							
	_							
	_							
	_							
· · · · · · · · · · · · · · · · · · ·	_							
	_							
	_							
	_							
	_							
	_							
	_							

Thank you for completing the questionnaire, your contribution is valued.







List of Figures

Figure B-0: Figure Extent Key Figure B-1: Peak Flood Depth – Kariong Town, June 2007 Calibration Event Scenario Figure B-2: Peak Flood Depth - Somersby Industrial Area, June 2007 Calibration Event Scenario Figure B-3: Peak Flood Depth – Northern Catchment, June 2007 Calibration Event Scenario Figure B-4: Peak Flood Depth - Kariong Town, November 2011 Calibration Event Scenario Figure B-5: Peak Flood Depth – Somersby Industrial Area, November 2011 Calibration Event Scenario Figure B-6: Peak Flood Depth – Northern Catchment, November 2011 Calibration Event Scenario Figure B-7: Peak Flood Depth - Kariong Town, March 2021 Calibration Event Scenario Figure B-8: Peak Flood Depth – Somersby Industrial Area, March 2021 Calibration Event Scenario Figure B-9: Peak Flood Depth – Northern Catchment, March 2021 Calibration Event Scenario Figure B-10: Peak Flood Depth - Kariong Town, March 2022 Calibration Event Scenario Figure B-11: Peak Flood Depth – Somersby Industrial Area, March 2022 Calibration Event Scenario Figure B-12: Peak Flood Depth – Northern Catchment, March 2022 Calibration Event Scenario Figure B-13: Peak Flood Level – Kariong Town, June 2007 Calibration Event Scenario Figure B-14: Peak Flood Level – Somersby Industrial Area, June 2007 Calibration Event Scenario Figure B-15: Peak Flood Level – Northern Catchment, June 2007 Calibration Event Scenario Figure B-16: Peak Flood Level – Kariong Town, November 2011 Calibration Event Scenario Figure B-17: Peak Flood Level – Somersby Industrial Area, November 2011 Calibration Event Scenario Figure B-18: Peak Flood Level – Northern Catchment, November 2011 Calibration Event Scenario Figure B-19: Peak Flood Level - Kariong Town, March 2021 Calibration Event Scenario Figure B-20: Peak Flood Level – Somersby Industrial Area, March 2021 Calibration Event Scenario Figure B-21: Peak Flood Level - Northern Catchment, March 2021 Calibration Event Scenario Figure B-22: Peak Flood Level - Kariong Town, March 2022 Calibration Event Scenario Figure B-23: Peak Flood Level – Somersby Industrial Area, March 2022 Calibration Event Scenario Figure B-24: Peak Flood Level - Northern Catchment, March 2022 Calibration Event Scenario Figure B-25: Peak Flood Velocity – Kariong Town, June 2007 Calibration Event Scenario Figure B-26: Peak Flood Velocity – Somersby Industrial Area, June 2007 Calibration Event Scenario Figure B-27: Peak Flood Velocity – Northern Catchment, June 2007 Calibration Event Scenario Figure B-28: Peak Flood Velocity – Kariong Town, November 2011 Calibration Event Scenario Figure B-29: Peak Flood Velocity - Somersby Industrial Area, November 2011 Calibration Event Scenario Figure B-30: Peak Flood Velocity – Northern Catchment, November 2011 Calibration Event Scenario Figure B-31: Peak Flood Velocity – Kariong Town, March 2021 Calibration Event Scenario Figure B-32: Peak Flood Velocity – Somersby Industrial Area, March 2021 Calibration Event Scenario Figure B-33: Peak Flood Velocity – Northern Catchment, March 2021 Calibration Event Scenario Figure B-34: Peak Flood Velocity – Kariong Town, March 2022 Calibration Event Scenario Figure B-35: Peak Flood Velocity – Somersby Industrial Area, March 2022 Calibration Event Scenario Figure B-36: Peak Flood Velocity – Northern Catchment, March 2022 Calibration Event Scenario Figure B-37: Peak Flood Hazard - Kariong Town, June 2007 Calibration Event Scenario Figure B-38: Peak Flood Hazard – Somersby Industrial Area, June 2007 Calibration Event Scenario Figure B-39: Peak Flood Hazard – Northern Catchment, June 2007 Calibration Event Scenario Figure B-40: Peak Flood Hazard – Kariong Town, November 2011 Calibration Event Scenario Figure B-41: Peak Flood Hazard - Somersby Industrial Area, November 2011 Calibration Event Figure B-42: Peak Flood Hazard – Northern Catchment, November 2011 Calibration Event Scenario Figure B-43: Peak Flood Hazard – Kariong Town, March 2021 Calibration Event Scenario

Figure B-44: Peak Flood Hazard – Somersby Industrial Area, March 2021 Calibration Event Scenario Figure B-45: Peak Flood Hazard – Northern Catchment, March 2021 Calibration Event Scenario



Appendix B – Calibration Figures

Figure B-46: Peak Flood Hazard – Kariong Town, March 2022 Calibration Event Scenario
Figure B-47: Peak Flood Hazard – Somersby Industrial Area, March 2022 Calibration Event Scenario
Figure B-48: Peak Flood Hazard – Northern Catchment, March 2022 Calibration Event Scenario






Figure Extent Key


B-0

0

File: \perfile001\data\$\Water_Resources\Projects\SEW353_Kariong_Somersby_Flood_Study\G_GIS\Workspaces\Stage_Final_Draft\MS_Figures.qgz

2.5 km 1:70,000






Peak Flood Depth - Kariong Town June 2007 Calibration Event Scenario

B-1

0

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Depth - Somersby Industrial Area June 2007 Calibration Event Scenario

B-2

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

UHISSIUH






Peak Flood Depth - Northern Catchment June 2007 Calibration Event Scenario

B-3

0

1:40,000





Peak Flood Depth - Kariong Town November 2011 Calibration Event Scenario

B-4

0

ale at A4 1:10000

© Kellogg Brown & Root Pty Ltd, Produced 2025-05-14 I 11:56:24.9/6 by K140/9/

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/aua/legalcode


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any or omission.

HISSION.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Depth - Somersby Industrial Area November 2011 Calibration Event Scenario

B-5

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

Office (II) and II and II and III and






Peak Flood Depth - Northern Catchment **November 2011 Calibration Event Scenario**

B-6

0

1:40,000





Peak Flood Depth - Kariong Town March 2021 Calibration Event Scenario


B-7

0

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Depth - Somersby Industrial Area March 2021 Calibration Event Scenario

B-8

0

cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment

Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accesed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/au/legalcode


or unission.

N. errors

0 0.1 0.2 0.3 0.4 0.5 km

1:20,000






Peak Flood Depth - Northern Catchment **March 2021 Calibration Event Scenario**

B-9

0

1:40,000





Peak Flood Depth - Kariong Town March 2022 Calibration Event Scenario

B-10

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error

Office (Control of the Control of th

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Depth - Somersby Industrial Area March 2022 Calibration Event Scenario

B-11

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

II UHISSIUI.






Peak Flood Depth - Northern Catchment **March 2022 Calibration Event Scenario**

B-12

0

1:40,000





Peak Flood Level - Kariong Town June 2007 Calibration Event Scenario

B-13

0

cale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

UHISSICH.

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area June 2007 Calibration Event Scenario

B-14

0


icale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Office (Control of Control of Con






Peak Flood Level - Northern Catchment June 2007 Calibration Event Scenario

B-15

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000






Peak Flood Level - Kariong Town **November 2011 Calibration Event Scenario**

B-16

0

0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area November 2011 Calibration Event Scenario

B-17

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any e or omission.

IIIISSION.






Peak Flood Level - Northern Catchment **November 2011 Calibration Event Scenario**

B-18

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000






Peak Flood Level - Kariong Town March 2021 Calibration Event Scenario

B-19

0

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area March 2021 Calibration Event Scenario

B-20

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Commission.






Peak Flood Level - Northern Catchment **March 2021 Calibration Event Scenario**

B-21

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Level - Kariong Town March 2022 Calibration Event Scenario

B-22

0

ale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accesed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Office (In the Contract of the

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area March 2022 Calibration Event Scenario

B-23

0


icale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any or omission.

Officeroll.






Peak Flood Level - Northern Catchment **March 2022 Calibration Event Scenario**

B-24

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Velocity - Kariong Town June 2007 Calibration Event Scenario

B-25

0

ale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019. TNSW 2019. © State Government of NSW and Department of Planning and Environment (DPE) 2019. Office of Environment and Heritage 2019. © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Officeronic

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Velocity - Somersby Industrial Area June 2007 Calibration Event Scenario

B-26

0

cale at A4 1:20000


© Kellogg Brown & Root Pty Ltd, Produced 2025-05-14112:05:58:584 by K140797

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/au/legalcode

Ihile effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any romission.

OHIISSION






Peak Flood Velocity - Northern Catchment June 2007 Calibration Event Scenario

B-27

0

1:40,000





Peak Flood Velocity - Kariong Town November 2011 Calibration Event Scenario

B-28

0


cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Officerolls





Peak Flood Velocity - Somersby Industrial Area November 2011 Calibration Event Scenario

B-29

0

cale at A4 1:20000


© Kellogg Brown & Root Pty Ltd, Produced 2025-05-14112:06:29.446 by K140797

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/aua/legalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for an or omission.

OHIISSION






Peak Flood Velocity - Northern Catchment **November 2011 Calibration Event Scenario**

B-30

0

1:40,000





Peak Flood Velocity - Kariong Town March 2021 Calibration Event Scenario

B-31

0

ale at A4 1:10000

Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (Control of the Control of th

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Velocity - Somersby Industrial Area March 2021 Calibration Event Scenario

B-32

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Commission.





Peak Flood Velocity - Northern Catchment March 2021 Calibration Event Scenario

B-33

0

cale at A4 1:40000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

Office (Control of the Control of th

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000






Peak Flood Velocity - Kariong Town March 2022 Calibration Event Scenario

B-34

0





Peak Flood Velocity - Somersby Industrial Area March 2022 Calibration Event Scenario

B-35

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any e or omission.

Company






Peak Flood Velocity - Northern Catchment **March 2022 Calibration Event Scenario**

B-36

0

1:40,000





Peak Flood Hazard - Kariong Town June 2007 Calibration Event Scenario

B-37

0


cale at A4 1:10000

Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error.

Office (Control of Control of Con





Peak Flood Hazard - Somersby Industrial Area June 2007 Calibration Event Scenario

B-38

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any e or omission.

INSKUIT.






Peak Flood Hazard - Northern Catchment June 2007 Calibration Event Scenario

B-39

0

0.3 0.6 0.9 1:40,000





Peak Flood Hazard - Kariong Town November 2011 Calibration Event Scenario

B-40

0


ale at A4 1:10000

Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Officeronic





Peak Flood Hazard - Somersby Industrial Area November 2011 Calibration Event Scenario

B-41

0


Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNISW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any ern or omission.

INSIGNI





Peak Flood Hazard - Northern Catchment November 2011 Calibration Event Scenario

B-42

0

cale at A4 1:40000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accesed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error omission.

Office (In the Contract of the

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Hazard - Kariong Town March 2021 Calibration Event Scenario

B-43

0

cale at A4 1:10000


Data @ Department of Finance, Services and Innovation 2019, TINSW 2019, @ State Government of NSW and Department of Planning and Environment (

Office of Environment and Heritage 2019, © Bureau of Meteo https://creativecommons.org/licenses/by/3.0/au/legalcode

effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any errission.

R for any errors





Peak Flood Hazard - Somersby Industrial Area March 2021 Calibration Event Scenario

B-44

. 0

Scale at A4 1:20000


Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE

Office of Environment and Heritage 2019, © Bureau of Meteo https://creativecommons.org/licenses/by/3.0/au/legalcode

thile effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any e

R for any errors






Peak Flood Hazard - Northern Catchment **March 2021 Calibration Event Scenario**

B-45

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000






Peak Flood Hazard - Kariong Town March 2022 Calibration Event Scenario

B-46

0






Peak Flood Hazard - Somersby Industrial Area March 2022 Calibration Event Scenario

B-47

0






Peak Flood Hazard - Northern Catchment **March 2022 Calibration Event Scenario**

B-48

0

0.3 0.6 0.9 1:40,000





List of Figures

Figure C-0: Figure Extent Key Figure C-1: Peak Flood Depth – Kariong Town, 20% AEP Design Event Scenario Figure C-2: Peak Flood Depth – Somersby Industrial Area, 20% AEP Design Event Scenario Figure C-3: Peak Flood Depth – Northern Catchment, 20% AEP Design Event Scenario Figure C-4: Peak Flood Depth – Kariong Town, 10% AEP Design Event Scenario Figure C-5: Peak Flood Depth – Somersby Industrial Area, 10% AEP Design Event Scenario Figure C-6: Peak Flood Depth – Northern Catchment, 10% AEP Design Event Scenario Figure C-7: Peak Flood Depth - Kariong Town, 5% AEP Design Event Scenario Figure C-8: Peak Flood Depth – Somersby Industrial Area, 5% AEP Design Event Scenario Figure C-9: Peak Flood Depth – Northern Catchment, 5% AEP Design Event Scenario Figure C-10: Peak Flood Depth – Kariong Town, 2% AEP Design Event Scenario Figure C-11: Peak Flood Depth – Somersby Industrial Area, 2% AEP Design Event Scenario Figure C-12: Peak Flood Depth – Northern Catchment, 2% AEP Design Event Scenario Figure C-13: Peak Flood Depth – Kariong Town, 1 in 100 AEP Design Event Scenario Figure C-14: Peak Flood Depth – Somersby Industrial Area, 1 in 100 AEP Design Event Scenario Figure C-15: Peak Flood Depth – Northern Catchment, 1 in 100 AEP Design Event Scenario Figure C-16: Peak Flood Depth - Kariong Town, 1 in 200 AEP Design Event Scenario Figure C-17: Peak Flood Depth – Somersby Industrial Area, 1 in 200 AEP Design Event Scenario Figure C-18: Peak Flood Depth – Northern Catchment, 1 in 200 AEP Design Event Scenario Figure C-19: Peak Flood Depth - Kariong Town, 1 in 500 AEP Design Event Scenario Figure C-20: Peak Flood Depth – Somersby Industrial Area, 1 in 500 AEP Design Event Scenario Figure C-21: Peak Flood Depth – Northern Catchment, 1 in 500 AEP Design Event Scenario Figure C-22: Peak Flood Depth – Kariong Town, PMF Design Event Scenario Figure C-23: Peak Flood Depth - Somersby Industrial Area, PMF Design Event Scenario Figure C-24: Peak Flood Depth – Northern Catchment, PMF Design Event Scenario Figure C-25: Peak Flood Level – Kariong Town, 20% AEP Design Event Scenario Figure C-26: Peak Flood Level – Somersby Industrial Area, 20% AEP Design Event Scenario Figure C-27: Peak Flood Level – Northern Catchment, 20% AEP Design Event Scenario Figure C-28: Peak Flood Level – Kariong Town, 10% AEP Design Event Scenario Figure C-29: Peak Flood Level – Somersby Industrial Area, 10% AEP Design Event Scenario Figure C-30: Peak Flood Level – Northern Catchment, 10% AEP Design Event Scenario Figure C-31: Peak Flood Level – Kariong Town, 5% AEP Design Event Scenario Figure C-32: Peak Flood Level – Somersby Industrial Area, 5% AEP Design Event Scenario Figure C-33: Peak Flood Level – Northern Catchment, 5% AEP Design Event Scenario Figure C-34: Peak Flood Level – Kariong Town, 2% AEP Design Event Scenario Figure C-35: Peak Flood Level – Somersby Industrial Area, 2% AEP Design Event Scenario Figure C-36: Peak Flood Level - Northern Catchment, 2% AEP Design Event Scenario Figure C-37: Peak Flood Level – Kariong Town, 1 in 100 AEP Design Event Scenario Figure C-38: Peak Flood Level – Somersby Industrial Area, 1 in 100 AEP Design Event Scenario Figure C-39: Peak Flood Level – Northern Catchment, 1 in 100 AEP Design Event Scenario Figure C-40: Peak Flood Level – Kariong Town, 1 in 200 AEP Design Event Scenario Figure C-41: Peak Flood Level – Somersby Industrial Area, 1 in 200 AEP Design Event Scenario Figure C-42: Peak Flood Level – Northern Catchment, 1 in 200 AEP Design Event Scenario Figure C-43: Peak Flood Level – Kariong Town, 1 in 500 AEP Design Event Scenario Figure C-44: Peak Flood Level – Somersby Industrial Area, 1 in 500 AEP Design Event Scenario Figure C-45: Peak Flood Level – Northern Catchment, 1 in 500 AEP Design Event Scenario Figure C-46: Peak Flood Level – Kariong Town, PMF Design Event Scenario Figure C-47: Peak Flood Level – Somersby Industrial Area, PMF Design Event Scenario



Figure C-48: Peak Flood Level – Northern Catchment, PMF Design Event Scenario Figure C-49: Peak Flood Velocity - Kariong Town, 20% AEP Design Event Scenario Figure C-50: Peak Flood Velocity – Somersby Industrial Area, 20% AEP Design Event Scenario Figure C-51: Peak Flood Velocity – Northern Catchment, 20% AEP Design Event Scenario Figure C-52: Peak Flood Velocity – Kariong Town, 10% AEP Design Event Scenario Figure C-53: Peak Flood Velocity – Somersby Industrial Area, 10% AEP Design Event Scenario Figure C-54: Peak Flood Velocity – Northern Catchment, 10% AEP Design Event Scenario Figure C-55: Peak Flood Velocity – Kariong Town, 5% AEP Design Event Scenario Figure C-56: Peak Flood Velocity – Somersby Industrial Area, 5% AEP Design Event Scenario Figure C-57: Peak Flood Velocity – Northern Catchment, 5% AEP Design Event Scenario Figure C-58: Peak Flood Velocity – Kariong Town, 2% AEP Design Event Scenario Figure C-59: Peak Flood Velocity – Somersby Industrial Area, 2% AEP Design Event Scenario Figure C-60: Peak Flood Velocity - Northern Catchment, 2% AEP Design Event Scenario Figure C-61: Peak Flood Velocity – Kariong Town, 1 in 100 AEP Design Event Scenario Figure C-62: Peak Flood Velocity – Somersby Industrial Area, 1 in 100 AEP Design Event Scenario Figure C-63: Peak Flood Velocity – Northern Catchment, 1 in 100 AEP Design Event Scenario Figure C-64: Peak Flood Velocity – Kariong Town, 1 in 200 AEP Design Event Scenario Figure C-65: Peak Flood Velocity – Somersby Industrial Area, 1 in 200 AEP Design Event Scenario Figure C-66: Peak Flood Velocity – Northern Catchment, 1 in 200 AEP Design Event Scenario Figure C-67: Peak Flood Velocity – Kariong Town, 1 in 500 AEP Design Event Scenario Figure C-68: Peak Flood Velocity – Somersby Industrial Area, 1 in 500 AEP Design Event Scenario Figure C-69: Peak Flood Velocity – Northern Catchment, 1 in 500 AEP Design Event Scenario Figure C-70: Peak Flood Velocity – Kariong Town, PMF Design Event Scenario Figure C-71: Peak Flood Velocity – Somersby Industrial Area, PMF Design Event Scenario Figure C-72: Peak Flood Velocity – Northern Catchment, PMF Design Event Scenario Figure C-73: Peak Flood Hazard – Kariong Town, 20% AEP Design Event Scenario Figure C-74: Peak Flood Hazard – Somersby Industrial Area, 20% AEP Design Event Scenario Figure C-75: Peak Flood Hazard – Northern Catchment, 20% AEP Design Event Scenario Figure C-76: Peak Flood Hazard - Kariong Town, 10% AEP Design Event Scenario Figure C-77: Peak Flood Hazard – Somersby Industrial Area, 10% AEP Design Event Scenario Figure C-78: Peak Flood Hazard – Northern Catchment, 10% AEP Design Event Scenario Figure C-79: Peak Flood Hazard – Kariong Town, 5% AEP Design Event Scenario Figure C-80: Peak Flood Hazard – Somersby Industrial Area, 5% AEP Design Event Scenario Figure C-81: Peak Flood Hazard – Northern Catchment, 5% AEP Design Event Scenario Figure C-82: Peak Flood Hazard – Kariong Town, 2% AEP Design Event Scenario Figure C-83: Peak Flood Hazard – Somersby Industrial Area, 2% AEP Design Event Scenario Figure C-84: Peak Flood Hazard – Northern Catchment, 2% AEP Design Event Scenario Figure C-85: Peak Flood Hazard – Kariong Town, 1 in 100 AEP Design Event Scenario Figure C-86: Peak Flood Hazard – Somersby Industrial Area, 1 in 100 AEP Design Event Scenario Figure C-87: Peak Flood Hazard – Northern Catchment, 1 in 100 AEP Design Event Scenario Figure C-88: Peak Flood Hazard - Kariong Town, 1 in 200 AEP Design Event Scenario Figure C-89: Peak Flood Hazard – Somersby Industrial Area, 1 in 200 AEP Design Event Scenario Figure C-90: Peak Flood Hazard – Northern Catchment, 1 in 200 AEP Design Event Scenario Figure C-91: Peak Flood Hazard – Kariong Town, 1 in 500 AEP Design Event Scenario Figure C-92: Peak Flood Hazard – Somersby Industrial Area, 1 in 500 AEP Design Event Scenario Figure C-93: Peak Flood Hazard – Northern Catchment, 1 in 500 AEP Design Event Scenario Figure C-94: Peak Flood Hazard – Kariong Town, PMF Design Event Scenario Figure C-95: Peak Flood Hazard – Somersby Industrial Area, PMF Design Event Scenario Figure C-96: Peak Flood Hazard – Northern Catchment, PMF Design Event Scenario Figure C-97: Flood Function – Kariong Town, 5% AEP Design Event Scenario Figure C-98: Flood Function – Somersby Industrial Area, 5% AEP Design Event Scenario Figure C-99: Flood Function – Northern Catchment, 5% AEP Design Event Scenario Figure C-100: Flood Function – Kariong Town, 1 in 100 AEP Design Event Scenario



- Figure C-101: Flood Function Somersby Industrial Area, 1 in 100 AEP Design Event Scenario
- Figure C-102: Flood Function Northern Catchment, 1 in 100 AEP Design Event Scenario
- Figure C-103: Flood Function Kariong Town, 1 in 200 AEP Design Event Scenario
- Figure C-104: Flood Function Somersby Industrial Area, 1 in 200 AEP Design Event Scenario
- Figure C-105: Flood Function Northern Catchment, 1 in 200 AEP Design Event Scenario
- Figure C-106: Flood Function Kariong Town, PMF Design Event Scenario
- Figure C-107: Flood Function Somersby Industrial Area, PMF Design Event Scenario
- Figure C-108: Flood Function Northern Catchment, PMF Design Event Scenario






Figure Extent Key


C-0

0

File: \perfile001\data\$\Water_Resources\Projects\SEW353_Kariong_Somersby_Flood_Study\G_GIS\Workspaces\Stage_Final_Draft\MS_Figures.qgz







Peak Flood Depth - Kariong Town 20% AEP Design Event Scenario

C-1

0


cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

Office of the Control of the Control





Peak Flood Depth - Somersby Industrial Area 20% AEP Design Event Scenario

C-2

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.


Officeroll.






Peak Flood Depth - Northern Catchment 20% AEP Design Event Scenario

0







Peak Flood Depth - Kariong Town 10% AEP Design Event Scenario

C-4

0

icale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error

Commission.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Depth - Somersby Industrial Area 10% AEP Design Event Scenario

C-5

0


Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (Control of Control of Con





Peak Flood Depth - Northern Catchment 10% AEP Design Event Scenario

C-6

0


cale at A4 1:40000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Env


Office of Environment and Heritage 2019, © Bureau of Meteo https://creativecommons.org/licenses/by/3.0/au/legalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

ilssion. UnerfileOnT/data\$Water Resources|Projects|SEW353 Karinna Somershy Flood StudyIG GIS|Worksnanes|Stane Final DraftMS Finures and







Peak Flood Depth - Kariong Town 5% AEP Design Event Scenario

C-7

0

cale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (D

Office of Environment and Heritage 2019, © Bureau of Meteo https://creativecommons.org/licenses/by/3.0/au/legalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er romission.

R for any errors





Peak Flood Depth - Somersby Industrial Area 5% AEP Design Event Scenario

C-8

0

Scale at A4 1:20000


© Kellogg Brown & Root Pty Ltd, Produced 2025-05-13107:28:52:485 by K140797

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Dureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/auilegalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any or omission.

Office of the Control of the Control






Peak Flood Depth - Northern Catchment 5% AEP Design Event Scenario

1:40,000





Peak Flood Depth - Kariong Town 2% AEP Design Event Scenario

C-10

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 2019, consistency of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erro or omission.

HISSION.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Depth - Somersby Industrial Area 2% AEP Design Event Scenario

C-11

0

Scale at A4 1:20000


Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Env

Office of Environment and Heritage 2019, © Bureau of Meteo https://creativecommons.org/licenses/by/3.0/au/legalcode

ille effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err omission.

or any errors






Peak Flood Depth - Northern Catchment 2% AEP Design Event Scenario

C-12

0

1:40,000





Peak Flood Depth - Kariong Town 1 in 100 AEP Design Event Scenario

C-13

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error omission.

New Fire Contract Con

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000






Peak Flood Depth - Somersby Industrial Area 1 in 100 AEP Design Event Scenario

C-14

0






Peak Flood Depth - Northern Catchment 1 in 100 AEP Design Event Scenario

C-15

0

1:40,000





Peak Flood Depth - Kariong Town 1 in 200 AEP Design Event Scenario

C-16

0

ale at A4 1:10000

Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error omission.

MINISTON.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000






Peak Flood Depth - Somersby Industrial Area 1 in 200 AEP Design Event Scenario

C-17

0






Peak Flood Depth - Northern Catchment 1 in 200 AEP Design Event Scenario

C-18

0

1:40,000





Peak Flood Depth - Kariong Town 1 in 500 AEP Design Event Scenario

C-19

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence, Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error.

UHISSIUH

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Depth - Somersby Industrial Area 1 in 500 AEP Design Event Scenario

C-20

0

Scale at A4 1:20000


© Kellogg Brown & Root Pty Ltd, Produced 2025-05-13107:30:29.988 by K140797

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/aua/legalcode

r omission.

ken by KBR for any errors






Peak Flood Depth - Northern Catchment 1 in 500 AEP Design Event Scenario

0

1:40,000





Peak Flood Depth - Kariong Town PMF Design Event Scenario

C-22

0

cale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Commission.

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000






Peak Flood Depth - Somersby Industrial Area **PMF Design Event Scenario**

C-23

0





Peak Flood Depth - Northern Catchment PMF Design Event Scenario

C-24

24

0

Scale at A4 1:40000 • Kellogg Brown & Root Pty Ltd. Produced 2025-05-13T07:31:02.591 by K14079


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/au/leglacode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

I UNINSKII.

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Level - Kariong Town 20% AEP Design Event Scenario

C-25

5

0

cale at A4 1:10000


Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

II UHISSIUI.

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area 20% AEP Design Event Scenario

C-26

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

Office (Control of the Control of the Control of the Control of Co






Peak Flood Level - Northern Catchment 20% AEP Design Event Scenario

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Level - Kariong Town 10% AEP Design Event Scenario

C-28

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (DF


https://creativecommons.org/licenses/by/3.0/au/legalcode

effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error ssion.

R for any errors

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area 10% AEP Design Event Scenario

C-29

0

Scale at A4 1:20000


© Kellogg Brown & Root Pty Ltd, Produced 2025-05-13108:31:30.649 by K140797

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/aua/legalcode

hile effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any omission.

North Cod Jak (Wilder Danner) Delecto (CHOCO Keders Constable Fleet Cod) (COD) (Adventure Notes Fleet Des) (No. 5)






10% AEP Design Event Scenario

C-30

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000






Peak Flood Level - Kariong Town 5% AEP Design Event Scenario

C-31

0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area 5% AEP Design Event Scenario

C-32

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNISW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error omission.

IIISSIOTI.






5% AEP Design Event Scenario

C-33

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Level - Kariong Town 2% AEP Design Event Scenario

C-34

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (D


While affect has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KDP for

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for a or omission.

Company

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area 2% AEP Design Event Scenario

C-35

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any ern or omission.

of Units SURI.






2% AEP Design Event Scenario

C-36

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000






Peak Flood Level - Kariong Town 1 in 100 AEP Design Event Scenario

C-37

0

0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Level - Somersby Industrial Area 1 in 100 AEP Design Event Scenario

C-38

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

Officeroll.






Peak Flood Level - Northern Catchment 1 in 100 AEP Design Event Scenario

C-39

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Level - Kariong Town 1 in 200 AEP Design Event Scenario

C-40

0

ale at A4 1:10000

Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (Control of the Control of th

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Level - Somersby Industrial Area 1 in 200 AEP Design Event Scenario

C-41

0


Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

thile effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erro

Officeroll.






Peak Flood Level - Northern Catchment 1 in 200 AEP Design Event Scenario

C-42

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Level - Kariong Town 1 in 500 AEP Design Event Scenario

C-43

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error

Illission.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Level - Somersby Industrial Area 1 in 500 AEP Design Event Scenario

C-44

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2015 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (Control of Control of Con






Peak Flood Level - Northern Catchment 1 in 500 AEP Design Event Scenario

C-45

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Level - Kariong Town PMF Design Event Scenario

C-46

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error

Commission.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Level - Somersby Industrial Area PMF Design Event Scenario

C-47

0

cale at A4 1:20000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error omission.

MINISTON.

0 0.1 0.2 0.3 0.4 0.5 km 1:20,000






PMF Design Event Scenario

C-48

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Velocity - Kariong Town 20% AEP Design Event Scenario


cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/au/leglacode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

JI UNISSIUI.





Peak Flood Velocity - Somersby Industrial Area 20% AEP Design Event Scenario

C-50

0

cale at A4 1:20000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any e or omission.

Office (Control of the Control of the Control of the Control of Co

0 0.1 0.2 0.3 0.4 0.5 km 1:20,000





Peak Flood Velocity - Northern Catchment 20% AEP Design Event Scenario


icale at A4 1:40000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Title Environment and Heritage 2019, § Dureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/bly/3.0/au/legalode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

or omission.


0 0.3 0.6 0.9 1.2 1.5 km 1:40,000 C-51 0



Peak Flood Velocity - Kariong Town 10% AEP Design Event Scenario

1:10,000





Peak Flood Velocity - Somersby Industrial Area 10% AEP Design Event Scenario

C-53

0

Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DF


Office of Environment and Heritage 2019, © Bureau of Meteorology 2 https://creativecommons.org/licenses/by/3.0/au/legalcode

sion.

1:20,000

0 0.1 0.2 0.3 0.4 0.5 km





Peak Flood Velocity - Northern Catchment 10% AEP Design Event Scenario

C-54

0

ale at A4 1:40000 Kellogg Brown & Root Pty Ltd, Produced 2025-05-13T09:40:32.631


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Dureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licensessby/3 (Jaule)ep

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

of Units SURI.

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Velocity - Kariong Town 5% AEP Design Event Scenario

C-55

0


ale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019. TNSW 2019. © State Government of NSW and Department of Planning and Environment (DPE) 2019. Office of Environment and Heritage 2019. © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

i Ullissiul.





Peak Flood Velocity - Somersby Industrial Area 5% AEP Design Event Scenario

C-56

0

cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

INSKUIT.

0 0.1 0.2 0.3 0.4 0.5 km

1:20,000






Peak Flood Velocity - Northern Catchment 5% AEP Design Event Scenario

C-57

0

1:40,000





Peak Flood Velocity - Kariong Town 2% AEP Design Event Scenario


cale at A4 1:10000 Kellogg Brown & Root Pty Ltd. Produced 2025-05-13T09:41:39,728 by K140797

Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

OF OMISSION.





Peak Flood Velocity - Somersby Industrial Area 2% AEP Design Event Scenario


C-59

0

1:20,000

0 0.1 0.2 0.3 0.4 0.5 km





Peak Flood Velocity - Northern Catchment 2% AEP Design Event Scenario

C-60

0

cale at A4 1:40000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error omission.

Commission.

1:40,000





Peak Flood Velocity - Kariong Town 1 in 100 AEP Design Event Scenario

C-61

61

0


cale at A4 1:10000
Kellogg Brown & Root Pty Ltd. Produced 2025-05-13T09:42:33.617 by K1407

Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

TIISSION.





Peak Flood Velocity - Somersby Industrial Area 1 in 100 AEP Design Event Scenario

C-62

0

Scale at A4 1:20000


Data © Department of Finance, Services and Innovation 2019, TNISW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

ISSUIT.

0 0.1 0.2 0.3 0.4 0.5 km 1:20,000





Peak Flood Velocity - Northern Catchment 1 in 100 AEP Design Event Scenario

C-63

0

ale at A4 1:40000 Kellogg Brown & Root Pty Ltd, Produced 2025-05-13T09:43


Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Commission.

0 0.3 0.6 0.9 1.2 1.5 k 1:40,000





Peak Flood Velocity - Kariong Town 1 in 200 AEP Design Event Scenario

C-64

64

0


cale at A4 1:10000 Kellogg Brown & Root Pty Ltd, Produced 2025-05-13T09:43:28.0

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Herlage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3 0/au/legalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

II UHISSIUI.





Peak Flood Velocity - Somersby Industrial Area 1 in 200 AEP Design Event Scenario

C-65

65

0

cale at A4 1:20000


Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

MINISTON.

0 0.1 0.2 0.3 0.4 0.5 km 1:20,000





Peak Flood Velocity - Northern Catchment 1 in 200 AEP Design Event Scenario

C-66

0

ale at A4 1:40000 Kellogg Brown & Root Pty Ltd, Produced 2025-05-13T09:44


Data © Department of Finance, Services and Innovation 2019, TMSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office Territorinent and Heritage 2019, © Dureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/au/legalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

UHISSIUH

0 0.3 0.6 0.9 1.2 1.5 kr 1:40,000





Peak Flood Velocity - Kariong Town 1 in 500 AEP Design Event Scenario

C-67

0


cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error omission.

Office (Control of Control of Con





Peak Flood Velocity - Somersby Industrial Area 1 in 500 AEP Design Event Scenario

C-68

0

Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNISW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error.


IIISSIOTI.

errors

0 0.1 0.2 0.3 0.4 0.5 km







Peak Flood Velocity - Northern Catchment 1 in 500 AEP Design Event Scenario

C-69

0

cale at A4 1:40000


Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Commission.

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Velocity - Kariong Town PMF Design Event Scenario

C-70

0


cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (In the Contract of the





Peak Flood Velocity - Somersby Industrial Area **PMF Design Event Scenario**


C-71

0

1:20,000

0 0.1 0.2 0.3 0.4 0.5 km






Peak Flood Velocity - Northern Catchment **PMF Design Event Scenario**

C-72

0.3 0.6 0.9 1:40,000





Peak Flood Hazard - Kariong Town 20% AEP Design Event Scenario

C-73

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


Mhile affort has been made to encure the accuracy and completeness of the information presented the quarantee is given for responsibility.

Company Control of the Control of th

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Hazard - Somersby Industrial Area 20% AEP Design Event Scenario

C-74

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erromission.

0 0.1 0.2 0.3 0.4 0.5 km 1:20,000






Peak Flood Hazard - Northern Catchment 20% AEP Design Event Scenario

C-75

0

0.3 0.6 0.9 1:40,000





Peak Flood Hazard - Kariong Town 10% AEP Design Event Scenario

C-76

0


cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Utilission.





Peak Flood Hazard - Somersby Industrial Area 10% AEP Design Event Scenario

C-77

0

Scale at A4 1:20000

© Kellogg Brown & Root Pty Ltd, Produced 2025-05-13110:21:05.211 by K140797


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/aua/legalcode

r omission.

R for any errors

0 0.1 0.2 0.3 0.4 0.5 km 1:20,000






Peak Flood Hazard - Northern Catchment 10% AEP Design Event Scenario

C-78

0

0.3 0.6 0.9 1:40,000





Peak Flood Hazard - Kariong Town 5% AEP Design Event Scenario

C-79

0


cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment of

Milita affort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KD

OLOHIISSON.






Peak Flood Hazard - Somersby Industrial Area 5% AEP Design Event Scenario

C-80

0

0 0.1 0.2 0.3 0.4 0.5 km 1:20,000






Peak Flood Hazard - Northern Catchment 5% AEP Design Event Scenario

C-81

0.3 0.6 0.9 1:40,000





Peak Flood Hazard - Kariong Town 2% AEP Design Event Scenario

C-82

0

cale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error.

Office of the Control of the Control

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Hazard - Somersby Industrial Area 2% AEP Design Event Scenario

C-83

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

Commission.





Peak Flood Hazard - Northern Catchment 2% AEP Design Event Scenario

C-84

0

ale at A4 1:40000


Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Officeronic

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000






Peak Flood Hazard - Kariong Town 1 in 100 AEP Design Event Scenario

C-85

0

0.08 0.16 0.24 0.32 0.4 km 1:10,000





Peak Flood Hazard - Somersby Industrial Area 1 in 100 AEP Design Event Scenario

C-86

36


0

Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any ern or omission.





Peak Flood Hazard - Northern Catchment 1 in 100 AEP Design Event Scenario

C-87

0

cale at A4 1:40000


Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error.

Office (Control of Control of Con

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000





Peak Flood Hazard - Kariong Town 1 in 200 AEP Design Event Scenario


C-88

0

0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Hazard - Somersby Industrial Area 1 in 200 AEP Design Event Scenario

C-89

0

Scale at A4 1:20000

Data @ Department of Finance, Services and Innovation 2019, TINSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 20

office of Environment and Heritage 2019, © Bureau of Meter https://creativecommons.org/licenses/by/3.0/au/legalcode


ssion.

y errors

0 0.1 0.2 0.3 0.4 0.5 km

1:20,000






Peak Flood Hazard - Northern Catchment 1 in 200 AEP Design Event Scenario

C-90

0

1:40,000





Peak Flood Hazard - Kariong Town 1 in 500 AEP Design Event Scenario

C-91

0

icale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erro or omission.

II UHISSIUI.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Peak Flood Hazard - Somersby Industrial Area 1 in 500 AEP Design Event Scenario

C-92

0


Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 6 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

MINISTON.






Peak Flood Hazard - Northern Catchment 1 in 500 AEP Design Event Scenario

C-93

1:40,000





Peak Flood Hazard - Kariong Town PMF Design Event Scenario

C-94

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er

Office (Control of the Control of th

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000






Peak Flood Hazard - Somersby Industrial Area **PMF Design Event Scenario**

C-95

0





Peak Flood Hazard - Northern Catchment **PMF Design Event Scenario**

C-96


0

0.3 0.6 0.9

1:40,000







Flood Function - Kariong Town 5% AEP Design Event Scenario

C-97

0

cale at A4 1:10000 Kellogg Brown & Root Pty Ltd, Produced 2025-05

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

IIIISSIOII.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Flood Function - Somersby Industrial Area 5% AEP Design Event Scenario

C-98

0

Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2


Title of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

ce of Environment and Heritage 2019, © Bureau of Meteo s://creativecommons.org/licenses/by/3.0/au/legalcode

e effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erronission.

for any errors





Flood Function - Northern Catchment 5% AEP Design Event Scenario

C-99


0

1:40,000

0.3 0.6 0.9

1.2 1.5 km





Flood Function - Kariong Town 1% AEP Design Event Scenario

C-100

0

cale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any ern or omission.

Commission.

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Flood Function - Somersby Industrial Area 1% AEP Design Event Scenario

C-101

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

of Units SURI.






Flood Function - Northern Catchment 1% AEP Design Event Scenario

C-102

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Flood Function - Kariong Town 1 in 200 AEP Design Event Scenario

C-103

0

cale at A4 1:10000


Data @ Department of Finance, Services and Innovation 2019, TRNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

of Units SURI.

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Flood Function - Somersby Industrial Area 1 in 200 AEP Design Event Scenario

C-104

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TRISW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Commission.






Flood Function - Northern Catchment 1 in 200 AEP Design Event Scenario

C-105

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Flood Function - Kariong Town PMF Design Event Scenario

C-106

0

cale at A4 1:10000

s heliting province not in the control of the contr


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er

sion.

omersby_Flood_Study\G_GIS\Workspaces\Stage_Final_Draft\MS_Figures.qgz

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Flood Function - Somersby Industrial Area PMF Design Event Scenario

C-107

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/au/legalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

of Units SURI.






PMF Design Event Scenario

C-108

0.3 0.6 0.9 1.2 1.5 km 1:40,000





List of Figures

- Figure D-0: Figure Extent Key
- Figure D-1: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP Unblocked Minus Design
- Figure D-2: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP Unblocked Minus Design
- Figure D-3: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP Unblocked Minus Design
- Figure D-4: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP High Blockage Minus Design
- Figure D-5: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP High Blockage Minus Design
- Figure D-6: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP High Blockage Minus Design
- Figure D-7: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP +20% Mannings Minus Design
- Figure D-8: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP +20% Mannings Minus Design
- Figure D-9: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP +20% Mannings Minus Design
- Figure D-10: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP -20% Mannings Minus Design
- Figure D-11: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP -20% Mannings Minus Design
- Figure D-12: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP -20% Mannings Minus Design
- Figure D-13: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP +20% IL Minus Design
- Figure D-14: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP +20% IL Minus Design
- Figure D-15: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP +20% IL Minus Design
- Figure D-16: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP -20% IL Minus Design
- Figure D-17: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP -20% IL Minus Design
- Figure D-18: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP -20% IL Minus Design
- Figure D-19: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP +20% CL Minus Design
- Figure D-20: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP +20% CL Minus Design
- Figure D-21: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP +20% CL Minus Design
- Figure D-22: Difference in Peak Flood Level Kariong Town, 1 in 100 AEP -20% CL Minus Design
- Figure D-23: Difference in Peak Flood Level Somersby Industrial Area, 1 in 100 AEP -20% CL Minus Design
- Figure D-24: Difference in Peak Flood Level Northern Catchment, 1 in 100 AEP -20% CL Minus Design






Figure Extent Key


D-0

0

File: \perfile001\data\$\Water_Resources\Projects\SEW353_Kariong_Somersby_Flood_Study\G_GIS\Workspaces\Stage_Final_Draft\MS_Figures.qgz

2.5 km 1:70,000





Difference in Peak Flood Level - Kariong Town 1 in 100 AEP Unblocked Minus Design

D-1

0

Scale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TRISW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

hile effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erromission.

i Ullissiul.

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP Unblocked Minus Design

D-2

0

Scale at A4 1:20000


Kellogg Brown & Root Pty Ltd, Produced 2025-05-14T09:42:23.377 by K140797

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Dureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/aullegalcode

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erro or omission.

II UHISSIUI.






Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP Unblocked Minus Design

D-3

0

0.3 0.6 0.9 1.2 1.5 km 1:40,000





Difference in Peak Flood Level - Kariong Town 1 in 100 AEP High Blockage Minus Design

D-4

0

icale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any er or omission.

New Fire Contract Con

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP High Blockage Minus Design

D-5

0

Scale at A4 1:20000

Data @ Department of Finance, Services and Innovation 2019, TfNSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE)

Office of Environment and Heritage 2019, © Bureau of Meteo https://creativecommons.org/licenses/by/3.0/au/legalcode


nission.

..,

0 0.1 0.2 0.3 0.4 0.5 km

1:20,000





Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP High Blockage Minus Design

D-6

0

cale at A4 1:40000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Diffice of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accesed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Commission.

0 0.3 0.6 0.9 1.2 1.5 km 1:40,000





Difference in Peak Flood Level - Kariong Town 1 in 100 AEP +20% Mannings Minus Design

D-7

0

ale at A4 1:10000 Kellogg Brown & Root Pty Ltd, Produced 2


Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (Control of Control of Con

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP +20% Mannings Minus Design

D-8

0


Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TINSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Diffice of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any en

ISSIDIT.





Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP +20% Mannings Minus Design

D-9

0


icale at A4 1:40000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, 2flice of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (Control of Control of Con





Difference in Peak Flood Level - Kariong Town 1 in 100 AEP -20% Mannings Minus Design

D-10

0

ale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any err or omission.

Office of the Control of the Control

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP -20% Mannings Minus Design

D-11

0


Scale at A4 1:20000

olata © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accesed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erro or omission.

II UHISSIUI.





Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP -20% Mannings Minus Design

D-12

0


cale at A4 1:40000 Kellogg Brown & Root Pty Ltd. Produ

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

I UNINSKII.





Difference in Peak Flood Level - Kariong Town 1 in 100 AEP +20% IL Minus Design

D-13

0

cale at A4 1:10000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, ¢ Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any or omission.

Office (II) and II and III and

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP +20% IL Minus Design

D-14

0


cale at A4 1:20000

Data @ Department of Finance, Services and Innovation 2019, TINSW 2019, @ State Government of NSW and Department of Planning and Environment (DPE) 2019
Office of Environment and Heritage 2019, @ Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

thile effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erro

Officeronic





Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP +20% IL Minus Design

D-15

0


cale at A4 1:40000

Data © Department of Finance, Services and Innovation 2019, TRNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

MINISTON.





Difference in Peak Flood Level - Kariong Town 1 in 100 AEP -20% IL Minus Design

D-16

0

cale at A4 1:10000

Kellogg Brown & Root Pty Ltd, Produced 2025-05-14109:46:24.865 by K140797

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at https://creativecommons.org/licenses/by/3.0/aulegalcode


While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any or omission.

II UHISSIUI.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000






Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP -20% IL Minus Design

D-17

0





Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP -20% IL Minus Design

D-18

0


cale at A4 1:40000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Office (Control of Control of Con






Difference in Peak Flood Level - Kariong Town 1 in 100 AEP +20% CL Minus Design

D-19

0

0 0.08 0.16 0.24 0.32 0.4 km 1:10,000





Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP +20% CL Minus Design

D-20

0


cale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, © Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any erro or omission.

II UHISSIUI.





Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP +20% CL Minus Design

D-21

0


icale at A4 1:40000

Data © Department of Finance, Services and Innovation 2019, TNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019, Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or omission.

Commission.





Difference in Peak Flood Level - Kariong Town 1 in 100 AEP -20% CL Minus Design

D-22

0

Scale at A4 1:10000


Data © Department of Finance, Services and Innovation 2019, TNNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2 Office of Environment and Heritage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error.

0 0.08 0.16 0.24 0.32 0.4 km

1:10,000





Difference in Peak Flood Level - Somersby Industrial Area 1 in 100 AEP -20% CL Minus Design

D-23

0


Scale at A4 1:20000

Data © Department of Finance, Services and Innovation 2019, TfNSW 2019, © State Government of NSW and Department of Planning and Environment (DPE) 2019
Office of Environment and Hentage 2019, © Bureau of Meteorology 2019 all accessed under a Creative Commons 3.0 Australia licence. Full terms at

hile effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error

MINISTON.





Difference in Peak Flood Level - Northern Catchment 1 in 100 AEP -20% CL Minus Design

D-24

0


Scale at A4 1:40000

Data © Department of Finance, Services and Innovation 2019, TRISW 2019, © State Government of NSW and Department of Planning and Environment (DPE

While effort has been made to ensure the accuracy and completeness of the information presented, no guarantee is given, nor responsibility taken by KBR for any error or mission.

HISSION.






List of Figures

Figure E-1: Flood Emergency Response Classification – 5% AEP Event

Figure E-2: Flood Emergency Response Classification – 1 in 100 AEP Event

Figure E-3: Flood Emergency Response Classification – PMF Event






Flood Emergency Response Classification 5% AEP Event

E-1

0

2.5 km 1:70,000






Flood Emergency Response Classification 1 in 100 AEP Event

E-2

0

2.5 km 1:70,000





Flood Emergency Response Classification **PMF Event**

E-3

0

2.5 km 1:70,000



